




# Aluminum Alloy Skirting Board


2024 Version




## Minimalist Series



### Application



### Front installation diagram








### Back installation diagram




### Accessories

(4cm/6cm/8cm/10cm)



Minimalist Series Specification				
Model	WTA-40	WTA-60	WTA-80	WTA-100
Size				
Length	2.5 meters/piece			
Color	matte black, light grey, dark grey, iron grey, glossy white, rose gold, matte silver, gold, champagne, warm white, brown grey, minimal grey			


Color display



## Light Luxury Buckle Series



### Front installation diagram



### Accessories (4.6cm/6cm/8cm)



single aluminum base



full-length aluminum base (2 meters/piece)  
**Optional**



left end cap



inside corner



outside corner






connector



right end cap

## Light Luxury Buckle Series Specification

Model	WTB-46	WTB-60	WTB-80
Size			
Length	2.5 meters/piece		
Color	sky black, soft white, starry grey, minimal grey, light grey, champagne, brass, brown grey, rose gold, iron grey, matte silver, warm white		
Base Material	Aluminum alloy		



**sky black**

46/60/80mm

**soft white**

46/60/80mm

**starry grey**

46/60/80mm

**minimal grey**

46/60/80mm



**light grey**

46/60/80mm

**champagne**

46/60/80mm

**brass**

46/60/80mm

**brown grey**

46/60/80mm



**rose gold**

46/60/80mm

**iron grey**

46/60/80mm

**matte silver**

46/60/80mm

**warm white**

46/60/80mm

## Light Luxury Buckle Series 2

轻奢卡扣款 2



## Front installation diagram



## Accessories





## Light Luxury Buckle Series 2 Specification

Model	WTC-46	WTC-60	WTC-80
Size			
Length	2.5 meters/piece		
Color	matte black, champagne gold, silver, rose gold, starry grey, khaki, matte white		
Base Material	Aluminum alloy		



**matte black**  
46/60/80mm



**champagne gold**  
46/60/80mm



**silver**  
46/60/80mm



**grey**  
46/60/80mm



**rose gold**  
46/60/80mm



**khaki**  
46/60/80mm



**matte white**  
46/60/80mm



**beige**  
46/60/80mm

# Light Luxury Buckle Series 3

轻奢卡扣款 3



## Front installation diagram



## Accessories



left end cap



right end cap



inside corner



outside corner



connector



### Light Luxury Buckle Series 3 Specification

Model	WTD-46	WTD-60	WTD-80
Size			
Length	2.5 meters/piece		
Color	matte black, silver, gold, rose gold, champagne gold, iron grey, matte white, starry grey, beige		
Base Material	Aluminum alloy		



**matte black**  
46/60/80mm



**silver**  
46/60/80mm



**gold**  
46/60/80mm



**rose gold**  
46/60/80mm



**champagne gold**  
46/60/80mm



**iron grey**  
46/60/80mm



**matte white**  
46/60/80mm



**starry grey**  
46/60/80mm



**beige**  
46/60/80mm

## Hanging Mounting Series

挂式款



## Front installation diagram



## Accessories



## Hanging Mounting Series Specification

Model	WTE-46	WTE-60	WTE-80
Size			
Length	2.5 meters/piece		
Color	matte black, champagne gold, rose gold, starry grey, matte white, silver, khaki		
Base Material	Aluminum alloy		



**matte black**  
46/60/80mm



**champagne gold**  
46/60/80mm



**rose gold**  
46/60/80mm



**starry grey**  
46/60/80mm



**matte white**  
46/60/80mm



**silver**  
46/60/80mm




**khaki**  
46/60/80mm





# High-end Hanging Mounting Series



Front installation diagram



## Accessories (4cm/6cm/8cm)



## High-end Hanging Mounting Series Specification

Model	WTF-40	WTF-60	WTF-80
Size			
Length	2.5 meters/piece		
Color	black, light grey, ivory white, dark grey, gold, champagne		
Base Material	Aluminum alloy		



### Color display




**black**  
40/60/80mm



**light grey**  
40/60/80mm



**ivory white**  
40/60/80mm



**dark grey**  
40/60/80mm




**gold**  
40/60/80mm



**champagne**  
40/60/80mm

## Quick Hanging Mounting Series



### Accessories (4cm/6cm/8cm)





## Quick Hanging Mounting Series Specification

Model	WTG-40	WTG60	WTG-80
Size			
Length	2.5 meters/piece		
Color	black, light grey, white, minimal grey, dark grey, champagne, iron grey, brown grey		
Material	Aluminum alloy		

### Color display



**black**

40/60/80mm

**light grey**

40/60/80mm

**white**

40/60/80mm

**minimal grey**

40/60/80mm



**dark grey**

40/60/80mm

**champagne**

40/60/80mm

**iron grey**

40/60/80mm


**brown grey**

40/60/80mm

## Diamond Cut Snap-in Mounting Series



### Front installation diagram



### Accessories (2.6cm/4cm/6cm/8cm)



aluminum base



inside corner      outside corner      connector      left end cap      right end cap





Color display



**black**  
26/40/60/80mm

**gold**  
40/60/80mm

**champagne**  
40/60/80mm

**light grey**  
26/40/60/80mm

**dark grey**  
26/40/60/80mm

**minimal grey**  
26/40/60/80mm

**brown grey**  
40/60/80mm

**beige**  
26/40/60/80mm


**warm white**  
40/60/80mm

Diamond Cut Snap-in Mounting Series Specification				
Model	WTH-26	WTH-40	WTH-60	WTH-80
Size				
Length	2.5 meters/piece			
Color	black, gold, champagne, light grey, dark grey, minimal grey, brown grey, beige, warm white			
Base Material	Aluminum alloy			

## Bevelled Double Buckel Mounting Series



## Installation diagram



## Accessories

(3cm/5cm/7cm)



aluminum base  
(non-universal for 3/5/7cm)

connector      left end cap      right end cap



Bevelled Double Buckel Mounting Series Specification			
Model	WTI-30	WTI-50	WTI-70
Size			
Length	2.5 meters/piece	Base Material	Aluminum alloy
Color	black, gold, light grey, dark grey, champagne, cream grey, beige, pearl white		
Thickness	3cm : 1.3mm 5/7cm : 1.5mm		

Color display



**black**  
30/50/70mm

**light grey**  
30/50/70mm

**dark grey**  
30/50/70mm



**champagne**  
30/50/70mm

**cream grey**  
30/50/70mm


**beige**  
30/50/70mm

**pearl white**  
30/50/70mm


## 2cm Traceless Series



### Installation diagram




### Accessories (2cm)





## 2cm Traceless Series Specification

Model	WTJ-20
Size	
Length	2.5 meters/piece
Color	black, iron grey

Color display




**black**  
20mm



**iron grey**  
20mm

## 3/6cm Traceless Series


3/6cm



## Installation diagram



## Accessories (3cm6cm)





### 3/6cm Traceless Series Specification

Model	WTK-30	WTK-60
Size		
Length	2.5 meters/piece	
Color	black, iron grey, minimal grey, brown grey, beige	

#### Color display



**black**  
30/60mm

**iron grey**  
30/60mm



**minimal grey**  
30/60mm


**brown grey**  
30/60mm

**beige**  
30/60mm

## Classic Buckel Mounting Series




## Installation diagram



## Accessories

(4cm/5cm/6cm/8cm/10cm)



## Application



**titanium black brushed**  
4/5/6/8/10cm

**sandlasted black**  
4/5/6/8/10cm

**sandlasted grey**  
4/5/6/8/10cm



**champagne brushed**  
5/6/8/10cm

**shiny silver brushed**  
5/6/8/10cm

**iron grey brushed**  
5/6/8/10cm








**bronze brushed**  
6cm

**rose gold brushed**  
5/6/8/10cm

**glossy white**  
5/6/8/10cm

## Classic Buckel Mounting Series Specification



Model	Size	Length	Thickness/mm	Color
WTL-40		2.5m/pc	0.6	titanium black brushed, sandblasted black, sandblasted grey
WTL-50		2.5m/pc	0.6/0.8/1.0	titanium black brushed, champagne brushed, shiny silver brushed, iron grey brushed, rose gold brushed, sandblasted black, sandblasted grey, glossy white
WTL60		2.5m/pc	0.6/0.8	titanium black brushed, champagne brushed, shiny silver brushed, iron grey brushed, rose gold brushed, sandblasted black, sandblasted grey, glossy white, bronze brushed
WTL-80		2.5m/pc	0.7/1.0	titanium black brushed, champagne brushed, shiny silver brushed, iron grey brushed, rose gold brushed, sandblasted black, sandblasted grey, glossy white
WTL-100		2.5m/pc	0.8	titanium black brushed, champagne brushed, shiny silver brushed, iron grey brushed, rose gold brushed, sandblasted black, sandblasted grey, glossy white

## LED Series - 8cm Side Lighting Buckel Mounting

8



### Installation diagram




### Accessories (8cm)




left/right end cap    outside corner    connector    inside corner    PVC diffuser



### 8cm Side Lighting Buckel Mounting Series Specification

Size			
Model	WTM-80	Length	2.5 meters/piece
Color	titanium black brushed, rose gold brushed, iron grey brushed		

Color display



titanium black brushed  
80mm



rose gold brushed  
80mm



iron grey brushed  
80mm

## LED Series - 5cm Side Lighting Buckel Mounting


5



## Installation diagram




## Accessories (5cm)





### 5cm Side Lighting Buckel Mounting Series Specification

Size			
Model	WTN-50	Length	2.5 meters/piece
Color	black, grey, white		

### Color display



**black**  
50mm



**grey**  
50mm



**white**  
50mm

## LED Series - Recessed Mounting



Accessories (4cm /6.5cm )



left end cap

outside corner

inside corner

right end cap

no need for connector



LED Recessed Mounting Series Specifica

Model	WTO-40	WTO-65	WTP-40	WTP-65
Size				
Length	2.5 meters/piece			
Color	black, grey, white, matte gold			




Color display (light off)



<b>black</b> 40mm	<b>grey</b> 40mm	<b>white</b> 40mm	<b>matte gold</b> 40mm
----------------------	---------------------	----------------------	---------------------------


Color display (light on)



<b>black</b> 40mm	<b>grey</b> 40mm	<b>grey</b> 40mm	<b>matte gold</b> 40mm
----------------------	---------------------	---------------------	---------------------------



<b>black</b> 65mm	<b>grey</b> 65mm	<b>white</b> 65mm	<b>matte gold</b> 65mm
----------------------	---------------------	----------------------	---------------------------



<b>matte gold</b> 65mm	<b>grey</b> 65mm	<b>white</b> 65mm	<b>matte gold</b> 65mm
---------------------------	---------------------	----------------------	---------------------------

## LED Series - Surface Mounting



Accessories (5cm /8cm )



left end cap  
( universal for left &

inside corner

outside corner

no need for  
connector

### LED Surface Mounting Series Specificait

Model	WTQ-50	WTQ-80
Size		
Length	2.5 meters/piece	
Color	black, grey, white, matte gold	



Color display (light off)



**black**  
50mm

**grey**  
50mm

**white**  
50mm

**matte gold**  
50mm

Color display (light on)



**black**  
50mm

**grey**  
50mm

**white**  
50mm

**matte gold**  
50mm



**black**  
80mm

**grey**  
80mm

**white**  
80mm

**matte gold**  
80mm



**black**  
80mm


**grey**  
80mm

**white**  
80mm

**matte gold**  
80mm

## 40mm height

Recessed mounting  
Down lighting




Glue mouting



## 50mm height

Recessed mounting  
Down lighting




Glue mouting



## 65mm height

Recessed mounting  
Down lighting



Glue mouting




## 6063-T5 Aviation Aluminum

High hardness, not easy to deform  
multiple layers of different materials integrated into one



## LED Series

## Color Display



matte gold


matte black




matte silver

matte champagne

## Model A



## Model B



**Comfort lighting**

**Create a warm environment**



## LED Series - Arc Shaped Buckel Mounting

弧形灯带款



Installation diagram (light o



Installation diagram (light on)



Accessories (5cm/8cm)



left end cap

outside corner

inside corner

right end cap

aluminum base

no need for connector



LED Arc-shaped Buckel Mounting Specificaiton		
Model	WTR-60	WTR-80
Size		
Length	2.5 meters/piece	
Color	black, grey	

Color display



**black**  
60/80mm

**grey**  
60/80mm




**black (light on)**  
60/80mm

**grey (light on)**  
60/80mm

## LED Series - Diamond Cut Buckel Mounting



### Accessories (6cm/8cm)





Color display

LED Diamond Cut Buckel Mounting Specificaiton		
Model	WTS-60	WTS-80
Size		
Length	2.5 meters/piece	
Color	black, grey, white	



**black**  
60/80mm



**grey**  
60/80mm



**white**  
60/80mm

## Upward Lighting Series





## Color Display


Upward Lighting Series Specification		
Model	WTU-50	WTU-80
Diagram		
Length	2.5 m/pc	
Color	black / grey / white	
Material	Aluminum alloy	



**black**  
50mm/80mm



**white**  
50mm/80mm




**grey**  
50mm


## Recessed Mounting Series



different sizes available



### Application



### Installation diagram



### Accessories (3cm)

Note: Only 3cm and 5cm have accessories.



### Accessories (5cm)








### Recessed Mounting Series Specificaiton

Model	WTV-80	WTV-50	WTV-30
Size			
Color	black, grey	black, grey, gold	
Length	2.5 meters/piece		
Model	WTW-25	WTV-20	WTV-20
Size			
Color	gold	black, grey	gold
Length	3m/piece	2.5m/piece	3m/piece


### Color display



# Righth Angle Recessed Mounting Series




① 45 degree cutting Angle




② connection of outside corner



③ connection of inside corner



④ connect directly in the middle



⑤ connection effect



⑥ Installation finished



## Color Display




**black**  
20/30/50/80mm

RighAngleRecesse Mounting Series Specificaiton				
Model	WTY-20	WTY-30	WTY-50	WTY-80
Size				
Length	2.5 meters/piece			
Color	matte black			




## LED Strip - 8MM width



**Voltage :** 24V                      **Length :** 10 meters/roll  
**Power :** 12W/Meter              **Color rendering index :** Ra  $\geq$  80  
**IP rating :** IP20                      **Lamp bead amount:** 120P/Meter  
**Color Temperature :** 6000K white light 4000K neutral light/3000K warm light

## LED Strip - 5MM width



**Voltage :** 24V                      **Length :** 10 meters/roll  
**Power :** 12W/Meter              **Color rendering index :** Ra  $\geq$  80  
**IP rating :** IP20                      **Lamp bead amount:** 120P/Meter  
**Color Temperature :** 6000K white light 4000K neutral light/3000K warm light


## 24V LED strip Transformer



Output voltage : 24V      Rated power : 200W  
 Output current : 24V      Size : 177x49x22cm



Output voltage : 24V      Rated power : 300W  
 Output current : 24V      Size : 204x50x22cm



Output voltage : 24V      Rated power : 400W  
 Output current : 24V      Size : 238x49x23cm

Plintus.ge



---

Cell/Whatsp: +995 577765551

E-mail: [nwellcare@gmail.com](mailto:nwellcare@gmail.com)